

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	802	29/603.07-603.17.ccls. and (magnetic adj head)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:26
S2	6	(pole adj tip) and (((back adj gap) or backgap) adj pedestal)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:27
S3	6	(((back adj gap) or backgap) adj pedestal)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:34
S4	21	(((back adj gap) or backgap) with pedestal)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 13:01
S5	3166	360/121,123,126,317.ccls.	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:32
S6	6	(magnetic adj head) and (((back adj gap) or backgap) with pedestal)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:34
S7	419	(magnetic adj head) and pedestal	USPAT; JPO; DERWENT	OR	ON	2004/02/04 13:01
S8	53	360/121,123,126,317.ccls. and ((magnetic adj head) and pedestal)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:34
S9	26	(360/121,123,126,317.ccls. and ((magnetic adj head) and pedestal)) and ((back adj gap) or backgap)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:42
S10	2	("5473491").PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/02/04 12:42
S11	24	"5473491".URPN.	USPAT	OR	ON	2004/02/04 12:43
S12	7	("4589042" "4839197" "5089334" "5132859" "5134535" "5155646" "5285340").PN.	USPAT	OR	ON	2004/02/04 12:45
S13	16	"5155646".URPN.	USPAT	OR	ON	2004/02/04 12:46
S14	19	lee-edward.in.	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:48
S15	21	edward-lee.in. or lee-edward.in.	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:48

S16	2	edward-lee.in.	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:53
S17	116	360/317.ccls. and (write adj head)	USPAT; JPO; DERWENT	OR	ON	2004/02/04 12:54
S18	90	(magnetic adj head) and pedestal	JPO	OR	ON	2004/02/04 13:03
S19	0	((back adj gap) or backgap) with pedestal)	JPO	OR	ON	2004/02/04 13:02
S20	0	((back adj gap) or backgap) same pedestal)	JPO	OR	ON	2004/02/04 13:02
S21	0	(magnetic adj head) and pedestal and (write adj head)	JPO	OR	ON	2004/02/04 13:02
S22	1	(magnetic adj head) and pedestal and (photoresist ro mask)	JPO	OR	ON	2004/02/04 13:03
S19 5	0	lee-edward-hin.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 14:11
S19 6	21	lee-edward.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 14:11
S19 7	2	edward-lee.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 14:12
S19 8	2	("6848166").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/06 14:12
S19 9	52	Lee-Edward-Hin-Pong.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 14:16
S20 0	2	("5155646").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/06 14:22
S20 1	3	("6504677").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2006/02/06 14:22

S20 2	10	("5245493" "5802700" "5805391" "5828533" "5878481" "6104576" "6111724" "6163436" "6191916" "6204997").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/06 14:41
S20 3	1370	29/603.07,603.13-603.16,603.18. ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 14:59
S20 4	6112	360/121,122,123,126,317.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 14:59
S20 5	82	form\$3 near (yoke near layer)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:01
S20 6	906	(remov\$3 or etch\$3) near (magnetic near material)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:01
S20 7	0	S205 and S206	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:01
S20 8	0	((remov\$3 or etch\$3) near (magnetic near material)) with (yoke adj layer)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:01
S20 9	11	(form\$3 deposit\$3) near (yoke near layer) near insulat\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:09
S21 0	35	S204 and S205	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:08
S21 1	14	S203 and S205	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:08
S21 2	26935	etch\$4 near material	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:09
S21 3	1443	etchable near material	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:22

S21 4	101	(remov\$3 or etch\$3) near etchable near material	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:09
S21 5	0	S205 and S214	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:09
S21 6	143	(form\$3 or deposit\$3) near (yoke near (layer\$1 or material\$1))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:11
S21 7	0	S214 and S216	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:10
S21 8	4	(planariz\$4 or CMP or polish\$3) near (yoke near (layer\$1 or material\$1))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:19
S21 9	4952	451/5,41.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:20
S22 0	3	S205 and S219	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:21
S22 1	684	205/119,122.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:22
S22 2	2	electroplat\$3 near etchable near material	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:23
S22 3	79	electroplat\$3 near \$5magnetic near material	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:23
S22 4	4	S221 and S223	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/02/06 15:23


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((magnetic head) <and> (pole tip) <and> yoke)<in>metadata)) <and> (pyr >..."

e-mail

Your search matched 9 of 1314030 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding





IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ **1. Understanding single-turn write head design at narrow track widths**
 Jian-Gang Zhu; Mao, C.Y.; White, R.M.; Batra, S.; Rottmayer, R.;
[Magnetics, IEEE Transactions on](#)
 Volume 38, Issue 1, Part 1, Jan. 2002 Page(s):124 - 128
 Digital Object Identifier 10.1109/TMAG.2002.988923
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(361 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **2. The effect of track width and topography on composition uniformity of el Permalloy in thin film heads**
 Sahami, S.; Lee, H.P.E.;
[Magnetics, IEEE Transactions on](#)
 Volume 28, Issue 5, Part 2, Sep 1992 Page(s):2103 - 2105
 Digital Object Identifier 10.1109/20.179410
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **3. Magnetic instability of thin-film recording heads**
 Klaassen, K.B.; van Peppen, J.C.L.;
[Magnetics, IEEE Transactions on](#)
 Volume 30, Issue 2, Part 1-2, Mar 1994 Page(s):375 - 380
 Digital Object Identifier 10.1109/20.312290
[AbstractPlus](#) | Full Text: [PDF](#)(624 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. Writing performance of IND/SV combination heads with sub-micron track**
 Yoshida, M.; Terunuma, K.; Iijima, A.; Sasaki, Y.;
[Magnetics, IEEE Transactions on](#)
 Volume 35, Issue 5, Part 1, Sept. 1999 Page(s):2496 - 2498
 Digital Object Identifier 10.1109/20.800870
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(220 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **5. Magnetic recording at a data rate of one gigabit per second**
 Liu, F.H.; Shi, S.; Wang, J.; Chen, Y.; Stoev, K.; Leal, L.; Saha, R.; Tong, H.C.; M.;
[Magnetics, IEEE Transactions on](#)
 Volume 37, Issue 2, Part 1, March 2001 Page(s):613 - 618

Digital Object Identifier 10.1109/20.917590

[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

-  **6. A detached pole tip design of perpendicular write heads for high data-rate**
Bai, D.Z.; Jian-Gang Zhu;
[Magnetics, IEEE Transactions on](#)
Volume 38, Issue 5, Part 1, Sept. 2002 Page(s):2240 - 2242
Digital Object Identifier 10.1109/TMAG.2002.802782
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(215 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-  **7. Conduction of flux at high frequencies by a charge-free magnetization di**
Mallory, M.; Smith, A.B.;
[Magnetics, IEEE Transactions on](#)
Volume 24, Issue 6, Nov 1988 Page(s):2374 - 2376
Digital Object Identifier 10.1109/20.92113
[AbstractPlus](#) | Full Text: [PDF\(284 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-  **8. Irreversible wall motion in inductive recording heads**
Klaassen, K.B.; van Peppen, J.C.L.;
[Magnetics, IEEE Transactions on](#)
Volume 25, Issue 5, Sep 1989 Page(s):3209 - 3211
Digital Object Identifier 10.1109/20.42256
[AbstractPlus](#) | Full Text: [PDF\(276 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
-  **9. Theory of domain dynamics in film heads**
Sionczewski, J.C.;
[Magnetics, IEEE Transactions on](#)
Volume 27, Issue 6, Part 2, Nov 1991 Page(s):4784 - 4786
Digital Object Identifier 10.1109/20.278946
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)